


LINE:Form TRADITIONAL EXTRUDED BAFFLES









PHYSICAL DATA

- Material substrate Aluminum | Extruded
- Thickness .08 -.125 (profile dependent)
- Fire Performance Class A: Tested per ASTM E84. Flame Spread Index 25 or less. Smoke Developed Index 50 or less. CAN/ULC \$102 surface burning characteristics. Flame Spread Rating 25 or less. Smoke Developed Classification 50 or less.
- Weight Varies 1.03 1.92 lbs./ln.ft.
- Warranty One Year Limited
- Seismic areas Traditional Extruded baffles have been engineered for use in all seismic areas. Installations may require additional attachment from baffle to suspension bar. Check with local code officials or a licensed engineer for additional requirements.
- Surface Finish Factory-applied polyester paint. Available in Standard Colors and Wood Look Powder Coated, post-production finishes. Custom colors also available

SUSTAINABILITY

LEED CONTRIBUTION -

- LEED BD+C v4 (MR: Regional & Recycled Materials).
- ID+C EQ: Low-Emitting Materials.
- No VOCs.
- EPD available.
- Aluminum contains up to 80% recycled content.

LEED® is a registered trademark of the U.S. Green Building Council

FEATURES

- Extruded profiles can be mitered, bent, used horizontally and vertically.
- Custom sizes & shapes At Maxxit custom is what we do best.
- ▶ Custom shapes & sizes available
- ▶ Custom lengths up to 24'
- Standard sizes In addition to custom we also have quick ship standard products available made to order.
- Lengths up to 12'
- ▶ Standard Size 1-3/8"x 3-3/8"
- ▶ Standard Size 1-1/2"x 6"
- Standard Size 2"x 6"
- Unlimited finish options custom colors, wood looks, films.
- Quick ship and expedited shipping.
- Lightweight, pre-assembled & easy to install.
- Versatile attachment options for Unistrut, 15/16" HD Grid and Cable hung applications.
- Easy plenum access attachment hardware allows baffles to slide for easy plenum access and adjustment during installation.
- Cleanable using CDC recommended and EPA-approved disinfectants for fog, spray & wipe.



Oak Fine

LINE:Form" | TRADITIONAL EXTRUDED BAFFLES

WOOD LOOK FINISHES

Standard Powder Coated Paint Finishes (Interior & Exterior) Formaldehyde-Free





Teak



Standard Laminated (Film) Finishes (Interior only). Formaldehyde-free

American Douglas

Maple



American Maple

STANDARD COLORS

Maxxit powder coat finishes offer superior chemical, scratch and UV resistance, they do not emit VOC's and are available in a broad range of textures, glosses and specialty looks.

Powder Coated Paint Finishes (Interior & Exterior) Formaldehyde-Free




Powder Coated, Bonded Metallic Finishes (Interior & Exterior) Formaldehyde-Free








LINE:Form™ DESIGNS













Extruded Metal



















WHERE CREATIVE ENGINEERING MEETS ARCHITECTURAL VISION

At Maxxit, we combine creative engineering, advanced manufacturing, and close collaboration to help architects and designers bring bold ideas to life. From standard to custom solutions, we turn imagination into precision-built reality.











Co:LAB Studio

Our custom design service empowers architects and designers to realize unique visions through tailored solutions, material innovation, and expert collaboration — turning bold ideas into architectural realities.

