PROTERO | CONTOUR BAFFLES



PHYSICAL DATA


- Material substrate Aluminum | Extruded
- Thickness .100"
- Fire Performance Class A: Tested per ASTM E84. Flame Spread Index 25 or less. Smoke Developed Index 50 or less. CAN/ULC S102 surface burning characteristics. Flame Spread Rating 25 or less. Smoke Developed Classification 50 or less.
- Weight Varies 1.03 1.92 lbs./ln.ft.
- Warranty One Year Limited
- Seismic areas Protero has been engineered for use in all seismic areas. Installations may require additional attachment from baffle to suspension bar. Check with local code officials or a licensed engineer for additional requirements.
- Surface Finish Factory-applied polyester paint. Available in Standard Colors and Wood Look Powder Coated, post-production finishes. Custom colors also available


SUSTAINABILITY

CONTRIBUTES TO LEED® POINTS -

- LEED[®] BD+C: New Construction v4
- MR: Regional Materials
 MR: Recycled Content
- LEED[®] BD+C: Healthcare v4
- MR: Design for Flexibility
- LEED ID+C: Commercial Interiors v4
- EQ: Low-Emitting Material

- No VOC'S: No added urea-formaldehyde
- FSC chain of custody veneers available
- Recycled Content up to 85%
- LEED® is a registered trademark of the U.S. Green Building Council





FEATURES

- Extruded profiles can be mitered, bent, used horizontally and vertically
- Custom sizes & shapes At Maxxit custom is what we do best.
- Custom shapes & sizes available
- Custom lengths up to 24'
- Standard sizes In addition to custom we also have quick ship standard products available made to order
- Lengths up to 12'
- Standard Size 1-3/8"x 3-3/8"
- Standard Size 1-1/2"x 6"
- Standard Size 2"x 6"
- Unlimited finish options custom colors, wood looks, films & wood veneers
- Plus 16 standard wood look finishes
- Quick ship and expedited shipping
- Lightweight, pre-assembled & easy to install
- Versatile attachment options for Unistrut, 15/16" HD Grid and Cable hung applications
- Easy plenum access attachment hardware allows baffles to slide for easy plenum access and adjustment during installation
- Cleanable using CDC recommended and EPA-approved disinfectants for fog, spray & wipe



OK FINISHES ()

Standard Powder Coated Paint Finishes (Interior & Exterior) Formaldehyde-Free





Standard Laminated (Film) Finishes (interior only). Formaldehyde-free | Wood veneer finishes available upon request



Neutral White

(10-20 Gloss)

METAL












COLOR & FINISHES

Maxxit powder coat finishes offer superior chemical, scratch and UV resistance, they do not emit VOC's and are available in a broad range of textures, glosses and specialty looks.






Frosted White

(45-55 Gloss)

Blizzard White

(80-90 Gloss)

PROTERO DESIGNS





DESIGN REALIZED

From the familiar to the truly one of a kind, Maxxit brings your design vision to life. With ceilings and walls crafted from Wood, Felt, Metal, Composites & more there is no limit to what we can create together.





