

PROTERO | NETWORKS OPEN CELL

MAIN ASSEMBLY -





PHYSICAL DATA

- Material substrate Aluminum | Extruded
- Thickness .100″
- Fire Performance Class A: Tested per ASTM E84. Flame Spread Index 25 or less. Smoke Developed Index 50 or less. CAN/ULC S102 surface burning characteristics. Flame Spread Rating 25 or less. Smoke Developed Classification 50 or less.
- Weight Varies 1.03 1.92 lbs./ln.ft.
- Warranty One Year Limited
- Seismic areas Protero has been engineered for use in all seismic areas. Installations may require additional attachment from baffle to suspension bar. Check with local code officials or a licensed engineer for additional requirements.

■ No VOC'S: No added urea-formaldehyde

LEED® is a registered trademark of the U.S. Green Building Council

■ FSC chain of custody veneers available

■ Recycled Content - up to 85%

 Surface Finish - Factory-applied polyester paint. Available in Standard Colors and Wood Look Powder Coated, post-production finishes. Custom colors also available

SUSTAINABILITY

CONTRIBUTES TO LEED® POINTS -

- LEED® BD+C: New Construction v4
- ▶ MR: Regional Materials
- ▶ MR: Recycled Content
- LEED® BD+C: Healthcare v4
- MR: Design for Flexibility
- LEED ID+C: Commercial Interiors v4
- ▶ EQ: Low-Emitting Material

■ Custom

- Extruded profiles can be mitered, bent, used horizontally and vertically
- Custom sizes & shapes At Maxxit custom is what we do best.
- ▶ Custom shapes & sizes available
- Custom lengths up to 24'
- Standard sizes In addition to custom we also have quick ship standard products available made to order
- ▶ Lengths up to 12′

FEATURES

- ▶ Standard Size 1-3/8"x 3-3/8"
- ▶ Standard Size 1-1/2"x 6"
- Standard Size 2"x 6"
- Unlimited finish options custom colors, wood looks, films & wood veneers
- Plus 16 standard wood look finishes
- Quick ship and expedited shipping
- Lightweight & easy to install
- Versatile attachment options for Unistrut[®], 15/16" HD Grid and Cable hung applications
- Cleanable using CDC recommended and EPA-approved disinfectants for fog, spray & wipe



M PROTERO | NETWORKS OPEN CELL

WOOD LOOK FINISHES

Standard Powder Coated Paint Finishes (Interior & Exterior) Formaldehyde-Free



Chestnut











Maple





Teak

Standard Laminated (Film) Finishes (interior only). Formaldehyde-free | Wood veneer finishes available upon request














Custom Colors

COLOR & FINISHES

Maxxit powder coat finishes offer superior chemical, scratch and UV resistance, they do not emit VOC's and are available in a broad range of textures, glosses and specialty looks.

Standard Colors









Black Finishes







White Finishes





(45-55 Gloss)




Custom Colors

(Matt)



M

PROTERO DESIGNS





DESIGN REALIZED

From the familiar to the truly one of a kind, Maxxit brings your design vision to life. With ceilings and walls crafted from Wood, Felt, Metal, Composites & more there is no limit to what we can create together.













