


TIGNUM | CONTOUR BAFFLES









PHYSICAL DATA

- Material Engineered wood panel with fire retardant MDF frame, wood veneer and aluminum channel
- Thickness widths from 1-1/2" up to 3"
- Fire Performance Can be manufactured Class A: Tested per ASTM E84. Flame Spread Index 25 or less. Smoke Developed Index 50 or less. CAN/ULC S102 surface burning characteristics. Flame Spread Rating 25 or less. Smoke Developed Class 50 or less.
- Weight Approximately .75 1.28 lbs./In.ft.
- Warranty One Year Limited
- Appearance Variation among baffles may occur due to the naturally occurring characteristics of the wood and grain.
- Application Tignum components must be acclimatized prior to installation and installed only after reaching equilibrium moisture content. Relative humidity between 25% and 55% and temperatures between 50°F and 86°F must be maintained.
- Seismic areas Tignum has been engineered for use in all seismic areas. Installations may require additional attachment from baffle to suspension bar. Check with local code officials or a licensed engineer for additional requirements.

No VOC'S: No added urea - formaldehydeFSC chain of custody veneers available

LEED® is a registered trademark of the U.S. Green Building Council

■ Recycled Content

■ Surface Finish - Clear or tinted semi-gloss coating

SUSTAINABILITY

CONTRIBUTES TO LEED® POINTS -

- LEED BD+C: New Construction v4
- ▶ MR: Regional Materials
- MR: Recycled Content
- LEED BD+C: Healthcare v4
- MR: Design for Flexibility
- LEED BD+C: New Constructon v4.1
- ▶ MR: Sourcing of Raw Materials
- MR: Bio-based Materials
- LEED ID+C: Commercial Interiors v4
- ▶ EQ: Low-Emitting Materials

FEATURES

- Unique lightweight / high strength design enables larger sizes than other wood baffles
- Durable MDF frame resists moisture, warping
- 42 'Quick Ship' wood veneers plus any commercially available veneer
- 16 standard stains and custom stain matching
- Quick ship and expedited shipping
- Cleanable using CDC recommended and EPA-approved disinfectants for fog, spray & wipe
- Custom sizes & shapes At Maxxit custom is what we do best. We will make any shape or size you can design
- Standard sizes in addition to custom we also have quick ship standard products available made to order
- Lengths up to 8' (nominal)
- Depths 4" 12"
- ▶ Widths 1-1/2" & 2"
- Lightweight, pre-assembled & easy to install
- Versatile attachment options for Unistrut, 15/16" HD Grid and Cable hung applications
- Easy plenum access attachment hardware allows baffles to slide for easy plenum access and adjustment during installation



TIGNUM | CONTOUR BAFFLES

FINISHES

Wood Veneers



Khaya Mahogany Flat Cut Variation - High



Anegre Flat Cut Variation - Medium



White Oak Heavy Flake Quarter Cut Variation - Medium



Natural Bamboo Quarter Cut Variation - Medium



Western Red Cedar Quarter Cut Variation - High



Cherry Flat Cut Variation - High



White Oak Quarter Cut Variation - Medium



Red Oak Quarter Cut Variation - Medium



Maple Quarter Cut Variation - High



White Ash Quarter Cut Variation - Medium



Hemlock Quarter Cut Variation - Medium



Euro Steamed Beech Flat Cut Variation - Medium



Flat Cut Variation - Medium



Walnut Quarter Cut Variation - Medium



Walnut Flat Cut Variation - Medium



English Sycamore Quarter Cut Variation - Medium



Teak Flat Cut Variation - Medium



Sapele Flat Cut Variation - Medium



Clear Pine Flat Cut Variation - Medium



Carbonized Bamboo Quarter Cut Variation - Medium



White Oak Flat Cut Variation - Medium



Textured Oak Saw Cut D1 Variation - Medium



Textured Oak Grey Saw Cut D3 Variation - Medium



Textured Dark Walnut Engineered Variation – Medium



Knotty Pine Flat Cut Variation - Medium



Red Alder Flat Cut Variation – Medium



Aromatic Red Cedar Flat Cut Variation - High



Red Birch Flat Cut Variation - Medium



White Maple Engineered Variation – Medium



VG Fir Engineered Variation - Medium



Gun Metal Ebony Engineered Variation – Medium



Napa Weathered Oak Engineered Variation – Medium



Monterey Weathered Oak Engineered Variation - Medium



Santa Monica Engineered Variation - Medium



Engineered Variation - Medium



Zebrano Engineered Variation - Medium



Wenge Engineered Variation - Medium



Ebony Engineered Variation - Medium



Cherry Engineered Variation - Medium



Teak Engineered Variation - Medium



Engineered Variation - Medium



Walnut Engineered Variation - Medium



FINISHES

Standard Stains


American Walnut



Antique Red

Burgundy







M

TIGNUM DESIGNS





DESIGN REALIZED

From the familiar to the truly one of a kind, Maxxit brings your design vision to life. With ceilings and walls crafted from Wood, Felt, Metal, Composites & more there is no limit to what we can create together.













