
### TIGNUM | NETWORKS OPEN CELL



#### PHYSICAL DATA

- Material Engineered wood panel with fire retardant MDF frame, wood veneer and aluminum channel
- Thickness widths from 1-1/2" up to 3"
- Fire Performance Can be manufactured Class A: Tested per ASTM E84. Flame Spread Index 25 or less. Smoke Developed Index 50 or less. CAN/ULC S102 surface burning characteristics. Flame Spread Rating 25 or less. Smoke Developed Class 50 or less.
- Weight Approximately .75 1.28 lbs./In.ft.
- Warranty One Year Limited
- Appearance Variation among baffles may occur due to the naturally occurring characteristics of the wood and grain.
- Application Tignum components must be acclimatized prior to installation and installed only after reaching equilibrium moisture content. Relative humidity between 25% and 55% and temperatures between 50°F and 86°F must be maintained.
- Seismic areas Tignum has been engineered for use in all seismic areas. Installations may require additional attachment from baffle to suspension bar. Check with local code officials or a licensed engineer for additional requirements.
- Surface Finish Clear or tinted semi-gloss coating

### SUSTAINABILITY

#### CONTRIBUTES TO LEED® POINTS -

- LEED BD+C: New Construction v4
  MR: Regional Materials
- MR: Recycled Content
- LEED BD+C: Healthcare v4
  MR: Design for Flexibility
- LEED BD+C: New Constructon v4.1
- MR: Sourcing of Raw Materials
- MR: Bio-based Materials
- LEED ID+C: Commercial Interiors v4
- ▶ EQ: Low-Emitting Materials

- No VOC'S: No added urea formaldehyde
- FSC chain of custody veneers available
- Recycled Content

 $\mathsf{LEED}^{\circ}$  is a registered trademark of the U.S. Green Building Council

- **FEATURES**
- Unique lightweight / high strength design enables larger sizes than other wood baffles
- Durable MDF frame resists moisture, warping
- 42 'Quick Ship' wood veneers plus any commercially available veneer
- 16 standard stains and custom stain matching
- Quick ship and expedited shipping
- Cleanable using CDC recommended and EPA-approved disinfectants for fog, spray & wipe
- Custom sizes & shapes At Maxxit custom is what we do best. We will make any shape or size you can design
- Standard sizes in addition to custom we also have quick ship standard products available made to order
- Lengths up to 8' (nominal)
- Depths 4", 6", 8", 10" & 12"
- Widths 1-1/2" & 2'
- Lightweight & easy to install
- Easy plenum access attachment hardware allows baffles to slide for easy plenum access and adjustment during installation



WOOD

## FINISHES

### Wood Veneers

Walter Parter Ok Farter Okdem    Feglish Sycamore Orarder Okdem    Feglish Sycamore Parter Okdem    F	Wood Veneers						
Variation - High  Variation - Medium  Variation - Medium  Variation - Medium  Variation - High  Variation - High  Variation - High    Red Okt  Maple  Maple  White Ash  Penick  Eus Stame Beech  Birch  Birch  Wold    Red Okt  Quarter Cut  Variation - Medium  White Ash  Penick  Eus Stame Beech  Birch  Wind  Wold    Variation - Medium  Quarter Cut  Variation - Medium  Wine Ash  Penick  Eus Stame Beech  Birch  Wold  Wold    Wine Ash  Quarter Cut  Variation - Medium  Fac Cut  Variation - Medium  Wold  Variation - Medium  Wold    Wine Ash  Fac Cut  Variation - Medium  Tack  Fac Cut  Variation - Medium  Wold    Wine Ash  Fac Cut  Variation - Medium  Tack  Fac Cut  Variation - Medium  Wine Cut    Wine Ash  Fac Cut  Variation - Medium  Tack  Fac Cut  Variation - Medium  Wine Cut    Wine Ash  Fac Cut  Variation - Medium  Tack  Fac Cut  Variation - Medium  Wine Cut    Wine Ash  Fac Cut  Variation - Medium  Fac Cut  Fac Cut  Fac Cut  Variation - Medium  Variation - Medium	Khaya Mahogany	Anegre	White Oak Heavy Flake			Cherry	
Quarter Cut Variation - MediumQuarter Cut Variation - MediumFeat Cut Variation - MediumFeat Cut Variation - MediumQuarter Cut Variation - MediumWainut PationEnglish Speamore Duarter Cut Variation - MediumEnglish Speamore Feat Cut Duarter CutImage: Speake Feat Cut Variation - MediumImage: Speake Feat Cut SpeakeImage: Speake Feat Cut Variation - MediumImage: Speake Feat Cut Variation - Medium <t< th=""><th>Flat Cut</th><th></th><th></th><th></th><th></th><th>Flat Cut</th><th></th></t<>	Flat Cut					Flat Cut	
Quarter Cut Variation - MediumQuarter Cut Variation - MediumFeat Cut Variation - MediumFeat Cut Variation - MediumQuarter Cut Variation - MediumWainut PationEnglish Speamore Duarter Cut Variation - MediumEnglish Speamore Feat Cut Duarter CutImage: Speake Feat Cut Variation - MediumImage: Speake Feat Cut SpeakeImage: Speake Feat Cut Variation - MediumImage: Speake Feat Cut Variation - Medium <t< th=""><th></th><th></th><th></th><th></th><th></th><th></th><th></th></t<>							
Walter    Felich Sycamore    Felich Sy	Quarter Cut	Quarter Cut		Quarter Cut	Flat Cut	Flat Cut	Quarter Cut
Flat Cut Variation - MediumGuarter Cut Variation - MediumFlat Cut Variation - MediumFlat Cut Variation - MediumFlat Cut Variation - MediumCuarter Cut Variation - MediumFlat Cut Variation - MediumImage: Construction - MediumVariation - MediumVariation - MediumVariation - MediumVariation - MediumVariation - MediumVariation - MediumImage: Construction - Medium </th <th></th> <th>Variation - High</th> <th></th> <th>Variation - Medium</th> <th>Variation - Medium</th> <th></th> <th>Variation - Medium</th>		Variation - High		Variation - Medium	Variation - Medium		Variation - Medium
Variation - MediumVariation - MediumVariation - MediumVariation - MediumVariation - MediumVariation - MediumVariation - MediumImage: Construction of the diameter of t		English Sycamore		Sapele			
Saw Cut D1 Variation - Medium    Saw Cut D3 Variation - Medium    Saw Cut D3 Variation - Medium    Flat Cut Variation - Medium <th></th> <th></th> <th></th> <th>0</th> <th></th> <th>- 0</th> <th></th>				0		- 0	
Engineered Engineered Engineered Engineered Engineered Engineered Engineered Engineered	Saw Cut D1	Saw Cut D3	Engineered	Flat Cut	Flat Cut	Flat Cut	
Zebrano Wenge Ebony Cherry Teak White Oak Walnut	Engineered Variation - Medium						
Engineered Engineered Engineered Engineered Engineered Engineered Engineered Engineered	Engineered	Engineered	Engineered	Engineered	Engineered	Engineered	



## FINISHES

Standard Stains				Custom Colors
Natural Beige	Desert Sand	Honey Comb	Cocoa	
				Send us a color sample so we can quickly provide a color match.
Cinnamon	English Oak	Harvest Gold	Colonial Pine	
Vermont Maple	Cinnamon Toast	Dutch Chocolate	Rosewood	
American Walnut	Antique Red	Burgundy	Onyx	





### **TIGNUM DESIGNS**





# DESIGN REALIZED

From the familiar to the truly one of a kind, Maxxit brings your design vision to life. With ceilings and walls crafted from Wood, Felt, Metal, Composites & more there is no limit to what we can create together.





