



TIGNUM | SHUFFLE BAFFLES









PHYSICAL DATA

- Material Engineered wood panel with fire retardant MDF frame, wood veneer and aluminum channel
- Thickness widths from 1-1/2" up to 3"
- Fire Performance Can be manufactured Class A: Tested per ASTM E84. Flame Spread Index 25 or less. Smoke Developed Index 50 or less. CAN/ULC S102 surface burning characteristics. Flame Spread Rating 25 or less. Smoke Developed Class 50 or less.
- Weight Approximately .75 1.28 lbs./In.ft.
- Warranty One Year Limited
- Appearance Variation among baffles may occur due to the naturally occurring characteristics of the wood and grain.
- Application Tignum components must be acclimatized prior to installation and installed only after reaching equilibrium moisture content. Relative humidity between 25% and 55% and temperatures between 50°F and 86°F must be maintained.
- Seismic areas Tignum has been engineered for use in all seismic areas. Installations may require additional attachment from baffle to suspension bar. Check with local code officials or a licensed engineer for additional requirements.
- Surface Finish Clear or tinted semi-gloss coating

SUSTAINABILITY

CONTRIBUTES TO LEED® POINTS -

- LEED BD+C: New Construction v4 MR: Regional Materials
- MR: Recycled Content
- LEED BD+C: Healthcare v4 MR: Design for Flexibility
- LEED BD+C: New Constructon v4.1
- MR: Sourcing of Raw Materials
- MR: Bio-based Materials
- LEED ID+C: Commercial Interiors v4
- ▶ EQ: Low-Emitting Materials

- No VOC'S: No added urea formaldehyde
- FSC chain of custody veneers available
- Recycled Content

LEED® is a registered trademark of the U.S. Green Building Council

- **FEATURES**
- Unique lightweight / high strength design enables larger sizes than other wood baffles
- Durable MDF frame resists moisture, warping
- Available with micro perforated veneer and sound absorbing core for enhanced acoustic comfort.
- 42 'Quick Ship' wood veneers plus any commercially available veneer
- 16 standard stains and custom stain matching
- Quick ship and expedited shipping
- Cleanable using CDC recommended and EPA-approved disinfectants for fog, spray & wipe
- Custom sizes & shapes At Maxxit custom is what we do best. We will make any shape or size you can design
- Standard sizes in addition to custom we also have quick ship standard products available made to order
- Lengths up to 8' (nominal)
 Depths 4", 6", 8", 10" & 12"
 Widths 1-1/2" & 2"


- Lightweight, pre-assembled & easy to install
- Versatile attachment options for Unistrut, 15/16" HD Grid and Cable hung applications
- Easy plenum access attachment hardware allows baffles to slide for easy plenum access and adjustment during installation



FINISHES

Wood Veneers

WOOD



ΜΛΧΧΙΤ CEILINGS & WALLS

FINISHES

Standard Stains				Custom Colors	
Natural Beige	Desert Sand	Honey Comb	Cocoa		
				54	end us a color sample so we can quickly provide a color match.
Cinnamon	English Oak	Harvest Gold	Colonial Pine		
Vermont Maple	Cinnamon Toast	Dutch Chocolate	Rosewood		
Name and Address of the Owner, or other					
American Walnut	Antique Red	Burgundy	Onyx		



TIGNUM DESIGNS





DESIGN REALIZED

From the familiar to the truly one of a kind, Maxxit brings your design vision to life. With ceilings and walls crafted from Wood, Felt, Metal, Composites & more there is no limit to what we can create together.





