LINE:Form™ | TRADITIONAL BLADE BAFFLES

MAIN ASSEMBLY



15/16" HD GRID ATTACHMENT



PHYSICAL DATA

- Material – (PET) polyester felt
- Felt thickness – 9MM, 3/8″ nominal; 12MM, 1/5" nominal
- Fire Performance– ASTM E84, Class A. CAN/ULC – S102.2
- Acoustics - NRC depends on baffle size and spacing. Baffles spaced closely together can achieve higher NRC.
- Weight – .20 - .33 lbs./ln.ft.
- Warranty – One Year Limited
- Variation – With all felt products color and texture may vary from order to order; adequate attic stock should be ordered.
- Seismic areas – Traditional Blade Baffles have been engineered for use in all seismic areas. Check with local code officials or a licensed engineer for additional requirements.
- Applications
  - Traditional Blade Baffles are not approved for exterior application
  - Do not install near sources of heat greater than 158° F

SUSTAINABILITY

LEED CONTRIBUTION –

- BD+C v4 (MR: Product Disclosure, Recycled Content).
- Schools EQ: Acoustic Performance.
- Up to 60% post-consumer PET felt.
- No VOCs.
- EPD & GREENGUARD Gold certified.

LEED® is a registered trademark of the U.S. Green Building Council

FEATURES

- Create soft, warm and tranquil spaces.
- 37 standard colors to choose from; 8 'Quick Ship.'
- Custom sizes & shapes – At Maxxit custom is what we do best. We will make any shape or size you can design.
- Standard sizes – in addition to custom we also have standard products available made to order in 1/4″ increments.
  - Lengths - up to 8′
  - Depths - up to 48″
  - Width - 3/8″
- Lightweight, pre-assembled & easy to install.
- Versatile attachment options for Unistrut®, 15/16″ HD Grid and Cable hung applications.
- Easy plenum access – attachment hardware allows baffles to unhook for easy plenum access and adjustment during installation.
- Cleanable using CDC recommended and EPA-approved disinfectants for fog, spray & wipe.

 © Maxxit Group Inc., 06/26 | All rights reserved

MAXXIT CEILINGS & WALLS

COLOR SELECTION

Standard Colors



Mulberry | Sea Green | Jade | Honeycomb | Raspberry | Ocean | Chestnut | Thyme



Burnt Orange | Sage | Cloud | Driftwood | Steel | Beige Plaster | Cotton | Denim



Smoky Blue | Lavender Mist | Aqua | Clear Blue | Iris | Cornflower | Cyan | Amethyst



Kiwi | Amber | Cobalt | Persimmon | Strawberry

All colors are available in both 9mm and 12mm, with the Quick Ship option offered exclusively in 9mm.

Please note: Colors shown may not be an exact representation of the actual product due to variations in lighting, screen settings, and printing processes. We recommend requesting a physical sample for the most accurate color match.

Standard Colors – Quick Ship



Raven | White Quartz | Ivory | Caramel | Smoke | Grey Quartz | Cream Marble | Olive Grey

Woodgrain Print Options

Dark Walnut | Natural Maple | Red Oak | Weathered Grey | White Oak

Limestone Print Options



Beige | Grey | White

Printed designs are available in single- or double-sided configurations, with exposed edges finished in a solid-colored felt.

 © Maxxit Group Inc., 06/26 | All rights reserved

MAXXIT CEILINGS & WALLS

LINE:Form™ DESIGNS

ELEVATIONS BAFFLES ▸
Felt



ANGLE BAFFLES ▸
Metal

ANGLE BAFFLES ▸
Felt, Profile

EXTERIOR WALL FINS ▸



ELEVATIONS BAFFLES ▸
Metal



TRADITIONAL BAFFLES ▸
Extruded Metal

PARTITIONS ▸

LINEAR PLANKS ▸

TRADITIONAL BAFFLES ▸
Felt, Profile

TRADITIONAL BAFFLES ▸
Felt, Blade

TRADITIONAL BAFFLES ▸
Fabricated Metal

WAVE BAFFLES ▸

WALL FINS ▸

MAXXIT
CEILINGS & WALLS

 © Maxxit Group Inc., 06/26 | All rights reserved

WHERE CREATIVE ENGINEERING MEETS ARCHITECTURAL VISION

At Maxxit, we combine creative engineering, advanced manufacturing, and close collaboration to help architects and designers bring bold ideas to life. From standard to custom solutions, we turn imagination into precision-built reality.



Co:LAB Studio

Our custom design service empowers architects and designers to realize unique visions through tailored solutions, material innovation, and expert collaboration — turning bold ideas into architectural realities.

MAXXIT
CEILINGS & WALLS

 © Maxxit Group Inc., 06/26 | All rights reserved