





Agilis Crossroads allows intersecting linear designs for a unique custom look that is easy to configure and install.

MAIN ASSEMBLY ▾



PHYSICAL DATA

- Material substrate - Aluminum | Fabricated
- Thickness .041" - .060" design dependent
- Fire Performance - ASTM E84 Class A. CAN/ULC S102.2
- Weight - Varies from .67 - 1.10 lbs./ln.ft.
- Warranty - One Year Limited
- Surface Finish - Factory-applied polyester paint. Available in Standard Colors, Color Matched and Wood Look
- Seismic areas - Agilis has been engineered for use in all seismic areas. Installations may require additional attachment from baffle to suspension bar. Check with local code officials or a licensed engineer for additional requirements.
- Acoustical Options - Perforated panels are supplied with acoustic infills to absorb sound - NRC values include .60, .70, .90, .95, 1.0, 1.1

SUSTAINABILITY

CONTRIBUTES TO LEED® POINTS -

- LEED BD+C: New Construction v4
 - MR: Regional Materials
 - MR: Recycled Content
- LEED BD+C: Schools v4
 - EQ: Acoustic Performance
- LEED ID+C: Commercial Interiors v4
 - EQ: Low-Emitting Material

- No VOC'S: No added urea-formaldehyde
- EPD 'Environmental Product Declaration' for raw material components
- Recycled Content - up to 80%


LEED® is a registered trademark of the U.S. Green Building Council

FEATURES


- Create on trend open cell designs
- Unlimited finish options - custom colors, wood looks, films & wood veneers
- 17 standard wood look finishes
- Custom sizes & shapes - At Maxxit custom is what we do best. We will make any shape or size you can design.
- Standard sizes - in addition to custom we also have quick ship standard products available made to order
 - Lengths - up to 12'
 - Depths - up to 15"
 - Widths - up to 6"
- Quick ship and expedited shipping
- Available in acoustic perforated styles
- Lightweight & easy to install
- Versatile attachment options for Unistrut® 15/16" HD Grid and Cable hung applications
- Easy plenum access - attachment hardware allows baffles to slide for easy plenum access and adjustment during installation
- Integrated lighting options available

WOOD LOOK FINISHES


Standard Powder Coated Paint Finishes (Interior & Exterior) Formaldehyde-Free



National Walnut



Chestnut




Rosewood



European Cherry




Knotty Pine




Oak Fine




Maple



American Douglas



American Maple



Teak

Custom Colors

FIND YOUR PERFECT MATCH

At Maxxit we have a passion for finishes; wood, metallic, oil rubbed, whatever your challenge is we can match it!



Send us a color sample so we can quickly provide a color match.

Standard Laminated (Film) Finishes (interior only). Formaldehyde-free



Canadian Oak



White Oak



American Natural



Italian Walnut



North Oak



Black Walnut









Brazilian Walnut

STANDARD COLORS

Maxxit powder coat finishes offer superior chemical, scratch and UV resistance, they do not emit VOC's and are available in a broad range of textures, glosses and specialty looks.

Powder Coated Paint Finishes (Interior & Exterior) Formaldehyde-Free

Black
(25-35 Gloss)Snow White
(25-30 Gloss) | LRV 83-84White
(17-20 Gloss) | LRV 79-80Blush Rose
(20 Gloss)Sunrise Yellow
(20 Gloss)Forest Green
(20 Gloss)Pure Orange
(20 Gloss)Gold
(20 Gloss)Metallic Bronze
(20 Gloss)Tan Straw
(20 Gloss)Mid Beige
(20 Gloss)Metallic Sterling Silver
(20 Gloss)Charcoal
(20 Gloss)Sterling Silver
(20 Gloss)Grey
(65-75 Gloss)

Custom Colors




Custom colors available




PERFORATIONS


Standard Perforations Angles – Staggered 60°




Unperforated




S02 Staggered
Diameter 0.0625"
Open area 4.50%
Centers 0.2812"




S03 Straight
Diameter 0.125"
Open area 4.90%
Centers 0.5"



S04 Staggered
Diameter 0.125"
Open area 9.90%
Centers 0.3788"




S05 Staggered
Diameter 0.0625"
Open area 10.10%
Centers 0.1875"




S06 Straight
Diameter 0.125"
Open area 19.60%
Centers 0.25"


Premium Perforations Angles – Diagonal 45° | Staggered 60°




P11 Straight
Diameter 0.0625"
Open area 2.10%
Centers 0.3788"




P12 Straight
Diameter 0.098"
Open area 4.14%
Centers 0.427"




P13 Diagonal
Diameter 0.098"
Open area 8.28%
Centers 0.3019"




P14 Diagonal
Diameter 0.078"
Open area 26.53%
Centers 0.1898"



P18 Staggered
Diameter 0.125"
Open area 22.70%
Centers 0.25"



P19 Staggered
Diameter 0.0625"
Open area 22.70%
Centers 0.125"



P21 Straight
Diameter 0.098"
Open area 16.55%
Centers 0.2135"





ELEVATIONS ▾



SHUFFLE ▾



NETWORKS ▾



ANGLE ▲



PANELS ▲



TRADITIONAL ▲

DESIGN REALIZED

From the familiar to the truly one of a kind, Maxxit brings your design vision to life. With ceilings and walls crafted from Wood, Felt, Metal, Composites & more there is no limit to what we can create together.

