

AGILIS | CROSSROADS OPEN CELL





Unistrut Channel, by others



PHYSICAL DATA

- Material substrate Aluminum | Fabricated
- Thickness .041″ .060″ design dependent
- Fire Performance ASTM E84 Class A. CAN/ULC S102.2
- Weight Varies from .67 1.10 lbs./ln.ft.
- Warranty One Year Limited
- Surface Finish Factory-applied polyester paint. Available in Standard Colors, Color Matched and Wood Look
- Seismic areas Agilis has been engineered for use in all seismic areas. Installations may require additional attachment from baffle to suspension bar. Check with local code officials or a licensed engineer for additional requirements.
- Acoustical Options Perforated panels are supplied with acoustic infills to absorb sound -NRC values include .60, .70, .90, .95, 1.0, 1.1

SUSTAINABILITY

CONTRIBUTES TO LEED® POINTS -

- LEED BD+C: New Construction v4
- MR: Regional Materials
- MR: Recycled Content
- LEED BD+C: Schools v4
- EQ: Acoustic Performance
 LEED ID+C: Commercial Interiors v4
- ELED ID+C. Commercial interiors v
- EQ: Low-Emitting Material

- No VOC'S: No added urea-formaldehyde
- FSC chain of custody veneers available
- Recycled Content up to 85%

LEED° is a registered trademark of the U.S. Green Building Council

FEATURES

- Create on trend open cell designs
- Unlimited finish options custom colors, wood looks, films & wood veneers
- 16 standard wood look finishes
- Custom sizes & shapes At Maxxit custom is what we do best. We will make any shape or size you can design.
- Standard sizes in addition to custom we also have quick ship standard products available made to order
- Lengths up to 12'
- Depths up to 15'
- ▶ Widths up to 6″
- Quick ship and expedited shipping
- Available in acoustic perforated styles
- Lightweight & easy to install
- Versatile attachment options for Unistrut, 15/16" HD Grid and Cable hung applications
- Easy plenum access attachment hardware allows baffles to slide for easy plenum access and adjustment during installation
- Integrated lighting options available



META

Standard Powder Coated Paint Finishes (Interior & Exterior) Formaldehyde-Free

Custom Colors



Canadian Oak

White Oak



Italian Walnut

North Oak


Black Walnut

Brazilian Walnut


STAINLESS STEEL FINISHES

Colors

Textures



Soft #2




Champagne




Copper

Black



Flow







COLOR & FINISHES

Standard Colors

and UV resistance, they do not emit VOC's and are available in a broad range of textures, glosses and specialty looks.

Black	White	Grey	Coal Black (Matt)	Slate Black (25-35 Gloss)	Pitch Black (65-75 Gloss)	Glass Black (90-95 Gloss)
White Finishes			Custom Colors			
			Custom colors available			
Neutral White (10-20 Gloss)	Frosted White (45-55 Gloss)	Blizzard White (80-90 Gloss)				

Black Finishes

SOLID COLORS

Maxxit powder coat finishes offer superior chemical, scratch and UV resistance, they do not emit VOC's and are available in a broad range of textures, glosses and specialty looks.


Powder Coated Paint Finishes (Interior & Exterior) Formaldehyde-Free





PERFORATIONS

METAL








AGILIS DESIGNS

M





DESIGN REALIZED

From the familiar to the truly one of a kind, Maxxit brings your design vision to life. With ceilings and walls crafted from Wood, Felt, Metal, Composites & more there is no limit to what we can create together.















maxxitgroup.com | 855.762.9948 | © Maxxit Group Inc., 3/24 | All rights reserved